

AMENDMENTS TO THE CLAIMS

Please amend the claims as follows:

1. (Currently amended) A wheelchair lift assembly comprising:
 - (a) first and second attachment arm assemblies extending between a reciprocating platform and a lift platform, the lift platform movable between at least a raised position and a lowered position, the lift platform being held in a substantially horizontal first plane position as the lift platform is moved between at least the raised and lowered positions; and
 - (b) a support device coupled to one of the first and second attachment arm assemblies, the support device supporting one of the first and second attachment arm assemblies and maintaining the lift platform in a second plane position substantially parallel to the first plane position if at least a portion of the other one of the first and second attachment arm assemblies fails.
2. (Currently amended) The wheelchair lift assembly of Claim 1, wherein the support device ~~comprising~~ comprises a bracket extending between an upper arm and a lower arm of one of either the first or second attachment arm assembly.
3. (Currently amended) The wheelchair lift assembly of Claim 2, wherein the support device ~~comprising~~ comprises a second bracket extending between an upper arm and a lower arm of the other of the first or second attachment arm assembly.
4. (Original) The wheelchair lift assembly of Claim 3, wherein the support device is located at one end of the first and second attachment arm assemblies.
5. (Original) The wheelchair lift assembly of Claim 3, wherein the support device is located between first and second ends of the first and second attachment arm assemblies.

LAW OFFICES OF
CHRISTENSEN O'CONNOR JOHNSON KINDNESS^{PLLC}
1420 Fifth Avenue
Suite 2800
Seattle, Washington 98101
206.682.8100

6. (Currently amended) The wheelchair lift assembly of Claim 1, wherein the support device ~~comprising~~ comprises a U-shaped first bracket pinned to one of an upper or lower arm of the first or second attachment arm assembly.

7. (Currently amended) The wheelchair lift assembly of Claim 1, wherein the support device ~~comprising~~ comprises [[a]] first and second U-shaped ~~bracket~~ brackets pinned to one of an upper arm or a lower arm of each of the first and second attachment arm assemblies.

8. (Original) The wheelchair lift assembly of Claim 7, wherein the support device is located at one end of the first and second attachment arm assemblies.

9. (Currently amended) The wheelchair lift assembly of Claim 8, wherein the first and second brackets of the support device ~~[[is]]~~ are attached to the upper and lower arms of the first and second attachment assemblies, respectively.

10. (Original) The wheelchair lift assembly of Claim 7, wherein the support device is located between first and second ends of the first and second attachment arm assemblies.

11. (Currently amended) A wheelchair lift assembly comprising:

(a) first and second attachment arm assemblies extending between a reciprocating platform and a lift platform, the lift platform movable between at least a raised position and a lowered position, the lift platform being held in a substantially horizontal ~~plane~~ position as the lift platform is moved between at least the raised and lowered positions; and

(b) support means extending between a portion of one of the first and second attachment arm assemblies for supporting one of the first and second attachment arm assemblies and maintaining the lift platform in a ~~plane~~ position substantially parallel to the substantially horizontal ~~plane~~ position if at least a portion of the other one of the first and second attachment arm assemblies fails.

12. (Currently amended) The wheelchair lift assembly of Claim 11, wherein the support means ~~comprising~~ comprises a bracket extending between an upper arm and a lower arm of one of either the first or second attachment arm assembly.

13. (Currently amended) The wheelchair lift assembly of Claim 11, wherein the support means ~~comprising~~ comprises a U-shaped bracket pinned to one of either an upper arm or a lower arm of one of either the first or second attachment arm assembly.

14. (Original) The wheelchair lift assembly of Claim 12, wherein the support means is located at one end of the first and second attachment arm assemblies.

15. (Currently amended) A wheelchair lift assembly, comprising:

(a) a lift platform;

(b) a reciprocating assembly extending between the lift platform and a reciprocating platform for reciprocating the lift platform between raised and lowered positions, the lift platform being held in a substantially horizontal first ~~plane~~ position as the reciprocating assembly reciprocates the lift platform between the raised and lowered positions;

(c) a support apparatus coupled to the reciprocating assembly for supporting the reciprocating assembly and maintaining the lift platform in a second ~~plane~~ position substantially parallel to the first ~~plane~~ position if at least a portion of the reciprocating assembly fails.

16. (Currently amended) The wheelchair lift assembly of Claim 15, wherein the support apparatus ~~comprising~~ comprises a bracket extending between a portion of the reciprocating assembly.

17. (Currently amended) The wheelchair lift assembly of Claim 16, wherein the support apparatus ~~comprising~~ comprises a second bracket extending between a portion of the reciprocating assembly.

18. (Original) The wheelchair lift assembly of Claim 16, wherein the support apparatus is located at one end of the reciprocating assembly.

19. (Currently amended) The wheelchair lift assembly of Claim 15, wherein the support apparatus ~~comprising~~ comprises a U-shaped first bracket pinned to a portion of the reciprocating assembly.

20. (Currently amended) The wheelchair lift assembly of Claim 19, wherein the support apparatus ~~comprising~~ comprises a U-shaped second bracket pinned to a portion of the reciprocating assembly.

21. (Original) The wheelchair lift assembly of Claim 15, wherein the reciprocating assembly includes first and second attachment arm assemblies, each attachment arm assembly having an upper arm and a lower arm to reciprocate the lift platform between the raised and lowered positions.

22. (Currently amended) The wheelchair lift assembly of Claim 21, wherein the support apparatus ~~comprising~~ comprises a bracket extending between the upper and lower arms of one of either the first or second attachment arm assembly.

23. (Currently amended) The wheelchair lift assembly of Claim 21, wherein the support apparatus ~~comprising~~ comprises a U-shaped bracket pinned to one of either the upper or lower arms of one of either the first or second attachment arm assemblies.